
Magnetism and Electromagnetism 1

1.

The diagram below shows a wire carrying a current passing through a piece of flat card.

Some iron filings are sprinkled onto the card. When the current is switched on, a pattern develops in the iron filings because of the magnetic field around the wire.

On the diagram, sketch the pattern that the iron filings make when the current is switched on.



2.

Electromagnets are often found in cranes used for lifting iron and steel. Explain why electromagnets are more useful than ordinary magnets for this purpose.	
The state of the s	
Magnetic (o'us-can exert a force on a wire carrying a current	
The many site of the control of the enterprise with principles and the control of	

3.

The diagram shows how a solenoid can be used as a relay to switch an external circuit on and off.

To external circuit (230 V)

Solenoid coil

Soft iron core

Low voltage DC source

To external circuit (230 V)

a)	Describe what happens when the switch is closed and then opened again.					
	erantine on en analysis and AAAAAAAAAAAAA					
b)	Give two reasons why a soft iron core is used in the solenoid.					
	The second secon					
l. (Complete the passage below using the words supplied.					
	force angle stronger current magnetic field motor permanent magnets					
	A wire carrying an electric current has a					
	to produce a and sometimes movement. A bigger or a					
	magnet will produce a bigger force. The size of the force will also depend on					
1	the at which the two magnetic fields meet each other. A force is experienced					
	by a current-carrying wire in a magnetic field — this is known as the effect.					
 5.						
	The diagram shows an electrical wire between two magnetic poles. When the current is switched on, the wire moves at right angles to the magnetic field.					
a)	Using Fleming's Left-Hand Rule, state which way the wire will move.					
b)	How could the wire be made to move in the opposite direction?					

6.

	Read the three statements below. Tick the box next to each statement that you think is true.
	A current-carrying wire will not experience a force if it is parallel to the magnetic field of a permanent magnet.
	A current-carrying wire will not experience a force if it is at right-angles to the magnetic field of a permanent magnet.
	A current-carrying wire will not experience a force if it is at an angle of 45° to the magnetic field of a permanent magnet.
7.	north pole south pole
	The diagram shows a current-carrying coil in a uniform magnetic field.
a)	Draw an arrow on the diagram to show the direction of the uniform magnetic field.
b)	Describe the direction of the force on the left-hand arm of the coil.
c)	In which direction will the coil move — clockwise or anticlockwise?
d)	i) This diagram shows the coil just after it has turned through 90°. Draw arrows to show the direction of the forces on each arm of the coil at this stage and describe how you would expect the coil to move.
	ii) In a motor, the coil keeps rotating in the same direction. Explain how this is achieved.
	The master common master and a second
8.	
	Read the three statements below. Tick the box next to each statement that you think is true .
	The split-ring commutator increases the size of the electric current.
	The split-ring commutator reverses the direction of the current every half turn by swapping the contacts to the DC supply.
	The split-ring commutator makes the motor rotate in a different direction.

9.	
	Suggest two ways in which the direction of spin of a simple DC motor can be reversed.
	23) - Using Fleinmas (Left) team date with White and a second control of the
10.	Southern relations seements at 8
	Fill in the blanks, using the words below, to explain how a loudspeaker works. Use the diagram of a loudspeaker to the right to help you.
	move amplifier force field sound magnetic frequency current AC from amplifier
	The loudspeaker relies on the fact that a wire carrying a in a
	can experience a A coil is attached
	to a cardboard or plastic cone. An AC signal is then sent to the coil from an
	This makes the coil
	same as the signal from the amplifier and produces
	same as the signal from the amplifier and produces
11.	
	The apparatus in the diagram below can be used to demonstrate electromagnetic induction.
	Centre-reading ammeter a) What is electromagnetic induction?
	3 and a set or high attended attended to the set of the
	Electrical wire
	tent e seali disconstrui gamacente ne tiu alex periobra ne or parlighe e cotri
b)	Describe how you could use the apparatus to demonstrate electromagnetic induction.
ů.	le (Med
c)	What would you see on the ammeter?
c)	what would you see on the animeters
d)	What effect would swapping the magnets have?
	- construit of con

12.		
	Moving a magnet inside an electric coil produces a trace on a cathode ray oscilloscope.	
	When the magnet was pushed inside the coil, coil Coil Coil	e
a)	Explain how trace B could be produced. N 8	
		1
	Cathode ray oscilloscope C D	0
b)	Explain how trace C could be produced.	
c)	Explain how trace D could be produced.	
		••
13.		
	To the right is a diagram of a dynamo used to power lights on a bicycle. Use the diagram to help you explain how a dynamo works.	
	cog wheel	
	magnet	el
	coil of wire on	
	coll of wire on wires to light	